

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

DRM Engg acting for and on behalf of The President of India invites E-Tenders against Tender No **E-DRM-Engg-ADRA-52-21** Closing Date/Time 22/10/2021 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

Contractors are allowed to make payments against this tender towards tender document cost and earnest money only through only payment modes available on IREPS portal like net banking, debit card, credit card etc. Manual payments through Demand draft, Banker cheque, Deposit receipts, FDR etc. are not allowed.

**1. NIT HEADER**

<b>Name of Work</b>	Construction of new passenger Halt at Katjuridanga bet Bankura and Anchuri P.H. Station.( High Level Platform under Phase-1)		
<b>Bidding type</b>	Normal Tender		
<b>Tender Type</b>	Open	<b>Bidding System</b>	Single Packet System
<b>Tender Closing Date Time</b>	22/10/2021 15:00	<b>Date Time Of Uploading Tender</b>	30/09/2021 11:12
<b>Pre-Bid Conference Required</b>	No	<b>Pre-Bid Conference Date Time</b>	Not Applicable
<b>Advertised Value</b>	12818102.79	<b>Tendering Section</b>	DENCENTRAL
<b>Bidding Style</b>	Single Rate for Each Schedule	<b>Bidding Unit</b>	
<b>Earnest Money /Bid Security (Rs.)</b>	0.00	<b>Validity of Offer ( Days)</b>	45
<b>Obtain Bid Security Declaration in lieu of Bid Security</b>	Yes		
<b>Tender Doc. Cost (Rs.)</b>	0.00	<b>Period of Completion</b>	6 Months
<b>Contract Type</b>	Works	<b>Contract Category</b>	Expenditure
<b>Bidding Start Date</b>	08/10/2021	<b>Are Joint Venture (JV) firms allowed to bid</b>	No
<b>Ranking Order For Bids</b>	Lowest to Highest	<b>Expenditure Type</b>	Deposit Work

**2. SCHEDULE**

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule A-Execution of all works under USSOR 2010 except cement under item No.033063,033062 and steel under item NO. 045014/045016</b>							9805073.70	Above/ Below/Par
1	Please see Item Breakup for details.				4973347.36	38.97	6911460.83	
	<b>Description:-</b> Construction of new passenger Halt at Katjuridanga bet Bankura and Anchuri P.H. Station.( High Level Platform under Phase-1)							
2	Please see Item Breakup for details.				1581187.18	38.97	2197375.82	
	<b>Description:-</b> Construction of Boundary wall 550 metres length							
3	Please see Item Breakup for details.				476739.94	38.97	662525.49	
	<b>Description:-</b> Construction of New Booking Office at Katjuridanga							
4	Please see Item Breakup for details.				24258.16	38.97	33711.56	
	<b>Description:-</b> Construction of Septic Tank							

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule E-Supply of cement under item no. 033063</b>							2059085.35	Above/ Below/Par
5	Please see Item Breakup for details.				2059085.35	0.00	2059085.35	
	<b>Description:-</b> supply of cement under item no. 033063							

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
<b>Schedule F-supply of steel under item no. 45016</b>							953943.74	Above/ Below/Par
6	Please see Item Breakup for details.				764684.36	24.75	953943.74	
	<b>Description:-</b> supply of steel under item no. 45016							

**3. ITEM BREAKUP**

<b>Schedule</b>	Schedule A-Execution of all works under USSOR 2010 except cement under item No.033063,033062 and steel under item NO. 045014/045016
-----------------	---

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

Item- 1 Construction of new passenger Halt at Katjuridanga bet Bankura and Anchuri P.H. Station.( High Level Platform under Phase-1)						
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
		Earth work in excavation as per approved drawings and dumping at embankment site or spoil heap, within railway land, including 50m lead and 1.5m lift, the lead to be measured from the centre of gravity of excavation to centre of gravity of spoil heap: the lift to be measured from natural ground level and paid for in layers of 1.5m each, including incidental work, as per specifications-in				
1	011011	All kinds of soils	cum	162.00	87.81	14225.22
2	012010	Extra over item 011010 for excavation in foundations for buildings and bridges to cover dressing to neat dimension and plumbing sides etc. Note : Dressing under this item is payable for the total quantity of excavation in foundation and not partly	cum	162.00	9.40	1522.80
3	012050	Supplying and filling sand in plinth and under floors including watering, ramming, consolidating and dressing complete	cum	653.00	389.08	254069.24
4	013120	Earthwork in filling in embankment, guide bunds, around buried type abutments, bridge gaps, trolley refuges, rain bunds if provided, platforms etc. with earth excavated from outside railway boundary entirely arranged by the contractor at his own cost as per RDSO's latest guidelines and specifications and special condition of contract including all leads, royalty, lifts, ascents, descents, crossing of nallahs or any other obstructions. The rates shall include all dressing of bank to final profile, demarcation and setting out of profile, site clearance, removing of shrubs, roots of vegetations growth, heavy grass, benching of existing slope of old bank, all handling/re-handling. taxes, octroi and royalty etc. as a complete job. Cut trees shall be property of railways and to be deposited in the railway godown unless specified otherwise in the Special conditions of contract	cum	5028.82	254.05	1277571.72
		Providing and laying in position cement concrete of specified proportion excluding cost of cement, centering and shuttering - All works upto Plinth level :				
5	031012	1:3:6 (1 cement : 3 sand : 6 graded stone aggregate 40mm nominal size)	cum	210.00	1510.24	317150.40
		Providing and laying cement concrete, up to plinth in retaining walls, walls (any thickness) including attached plasters, columns, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets etc, excluding the cost of cement and of shuttering, centering.				
6	031023	1:2:4 (1 cement : 2 sand : 4 graded stone aggregate 20mm nominal size)	cum	125.00	1774.56	221820.00
7	032010	Providing and fixing precast 1:3:6 cement concrete (1 cement : 3 sand : 6 graded stone aggregate 20mm nominal size) in string or lacing courses, coping, bed plates, anchor blocks, plain window sills, shelves, louvers, steps etc. upto floor two level including hoisting and setting in position with cement mortar 1:3 (1 cement : 3 coarse sand), cost of required shuttering, centering and finishing smooth with 6mm thick cement plaster 1:3 (1 cement : 3 sand) on exposed surface complete - excluding the cost of cement. (cast at site)	cum	362.00	1736.46	628598.52
8	032020	Providing and fixing precast M 15 grade cement concrete in string or lacing courses, coping, bed plates, anchor blocks, plain window sills, shelves, louvers, steps, etc. upto floor two level, including hoisting and setting in position with cement mortar 1:3 (1 cement : 3 coarse sand), cost of required shuttering, centering complete - excluding the cost of cement. (cast at site)	cum	105.00	1930.68	202721.40

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

		Brick work with non-modular (FPS) bricks of class designation 7.5 in foundation and plinth in :				
9	051018	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	298.00	1929.39	574958.22
		Providing & fixing Precast Chequered tiles conforming to IS:13801:1993, manufactured under mechanical vibration & hydraulic pressing machine in double layer; top layer of 10 to 12 mm thickness of Dolomite Powder, graded chips, fibre and UV stabilised iron oxide Lanexess colour and bottom layer of 1:3 CC mixed with galvanised steel fibre of approved quality, jointed with neat cement slurry mixed with pigment to match shade of tiles including rubbing and cleaning etc. complete on 20mm thick bed of cement mortar 1:4 of sizes :				
10	094062	300mm x 300mm x 30mm thick	Sqm	1080.00	549.12	593049.60
		Pointing on brick/tile flooring with cement mortar 1:3 (1cement: 3fine sand)				
11	114022	Ruled pointing	Sqm	495.00	42.83	21200.85
12	171450	Supplying, boring, sinking & installation of 40 mm dia hand tube well pump assembly having total depth of 50 metres with the following components as per IS:9301 : i) Double guided head stroke / 80 mm x 40 mm deep tubewell hand pump No. 6 of complete. ii) Brass strainer mesh type "Dinco" or equivalent made of long slotted medium B class G.I. pipes with 80-mesh brass wire net wrapping around the perforated pipe and jacketed by 26 / 28 SWG brass perforated sheet. 40 mm dia- 2 lengths each of 1.83 m connected with G.I. socket. iii) All brass cylinder 65 mm dia 450 mm long with brass plunger, plunger rod socket, all brass poppet/lower valve bucket leather complete. iv) G.I. Casing pipe ISI marked 80 mm dia medium quality 18 m long. v) G.I. pipe ISI marked 40 mm dia medium quality 28.35 m long. vi) 80 mm x 40 mm dia G.I. Reducing socket of approved quality. vii) 12 mm dia bright bar electro galvanised connecting rod "Dinco" / "BJH" or equivalent, 3.0 m long each with G.I. coupling of length as required at site of work	Each	2.00	44470.08	88940.16
		Providing and laying water bound macadam with specified stone aggregate, stone screening and binding material including screening, sorting, spreading to template and consolidation with power road roller of 8 to 10 tonne capacity etc. complete.				
13	231041	Sub-base with stone aggregate 90mm to 45mm including stone screening 13.2mm size	cum	90.00	1488.61	133974.90
14	231042	Base course with 63mm to 45mm size including stone screening 13.2mm size	cum	67.50	1276.05	86133.38
15	231043	Base course with 53mm to 22.4mm size including stone screening 11.2mm size	cum	67.50	1213.62	81919.35
		Providing and laying bitumen penetration macadam with hard stone aggregate, with bitumen of suitable penetration grade including required key aggregate as specified, spreading coarse aggregate with the help of self propelled / tipper tail mounted aggregate spreader and applying bitumen by a pressure distributor and then spreading key aggregate with the help of aggregate spreader complete including consolidation with road roller of minimum 8 to 10 tonne capacity				
16	231061	For 50mm compacted thickness using 6cum coarse aggregate of size 50-20mm graded, 1.5cum key aggregate of size 12.5mm graded, and 500kg paving asphalt 80/ 100 per 100sqm	Sqm	900.00	258.20	232380.00
		Providing and applying tack coat using bitumen emulsion (Rapid setting) complying with IS: 8887- 1995, spraying the bitumen emulsion with mechanically operated spray unit, cleaning and preparing the existing road surface as per specification				
17	233012	On bituminous surface @ 0.25kg/ sqm	Sqm	1800.00	15.04	27072.00

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

		Providing and laying 2.5cm premix carpet surfacing with 2.25Cum and 1.12cum of stone chippings of 13.2mm size and 11.2mm size respectively and 180kg of hot bitumen per 100sqm over a tack coat including consolidation with road roller of 6 to 8tonne capacity etc. complete (tack coat to be paid separately).				
18	233031	With paving asphalt 80/ 100 heated and then mixed with solvent at the rate of 70grams per kg. of asphalt	Sqm	900.00	134.82	121338.00
19	235010	Providing and laying seal coat of premixed fine aggregate (passing 2.36mm and retained on 180micron sieve) with bitumen using 128 kg of bitumen of grade 80/ 100 bitumen and 0.60cum of fine aggregate per 100sqm of road surface including rolling and finishing with road roller all complete. Note - This should not be operated along with Hot mix carpeting	Sqm	900.00	44.02	39618.00
20	238050	Providing and applying 2.5mm thick road marking strips (retro-reflective) of specified shade/ colour using hot thermoplastic material by fully/ semi automatic thermoplastic paint applicator machine fitted with profile shoe, glass beads dispenser, propane tank heater and profile shoe heater, driven by experienced operator on road surface including cost of material, labour, T&P, cleaning the road surface of all dirt, seals, oil, grease and foreign material etc. complete as per direction of Engineer-in-charge and in accordance with applicable specifications	Sqm	90.00	612.04	55083.60
					<b>Total</b>	<b>4973347.36</b>
<b>Item- 2</b>	Construction of Boundary wall 550 metres length					
<b>S No.</b>	<b>Item No</b>	<b>Description of Item</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>
		Earth work in excavation as per approved drawings and dumping at embankment site or spoil heap, within railway land, including 50m lead and 1.5m lift, the lead to be measured from the centre of gravity of excavation to centre of gravity of spoil heap: the lift to be measured from natural ground level and paid for in layers of 1.5m each, including incidental work, as per specifications-in				
1	011011	All kinds of soils	cum	335.50	87.81	29460.26
2	012010	Extra over item 011010 for excavation in foundations for buildings and bridges to cover dressing to neat dimension and plumbing sides etc. Note : Dressing under this item is payable for the total quantity of excavation in foundation and not partly	cum	335.50	9.40	3153.70
3	012040	Filling, watering and ramming earth in 15 cm layers in floors and foundations with surplus earth from foundations including 50m lead and 1.5m lift	cum	209.00	20.10	4200.90
4	012050	Supplying and filling sand in plinth and under floors including watering, ramming, consolidating and dressing complete	cum	36.85	389.08	14337.60
		Providing and laying in position cement concrete of specified proportion excluding cost of cement, centering and shuttering - All works upto Plinth level :				
5	031012	1:3:6 (1 cement : 3 sand : 6 graded stone aggregate 40mm nominal size)	cum	31.40	1510.24	47421.54
		Providing and laying cement concrete, up to plinth in retaining walls, walls (any thickness) including attached plasters, columns, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets etc, excluding the cost of cement and of shuttering, centering.				
6	031023	1:2:4 (1 cement : 2 sand : 4 graded stone aggregate 20mm nominal size)	cum	19.25	1774.56	34160.28

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

		Providing and laying in position M 20 Grade concrete for reinforced concrete structural elements but excluding cost of centering, shuttering, reinforcement and Admixtures in recommended proportion (as per IS:9103) to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer in charge				
7	041011	All work upto plinth level, including raft foundation of washable aprons, HS tank, pile cap, footings of FOB, and Platform shelter etc.	cum	104.50	2123.57	221913.07
8	041012	All work in buildings above plinth level upto floor two level.	cum	32.01	2363.49	75655.31
		Centering and shuttering including strutting, propping etc. and removal of form for :				
9	042011	Foundations, footings, bases of columns, raft foundation of washable aprons, Pile caps, Footings of FOB etc.	Sqm	291.50	128.80	37545.20
10	042014	Lintels, beams, plinth beams, bed blocks, girders, bressumers and cantilevers	Sqm	440.00	180.45	79398.00
11	042015	Columns, pillars, , posts and struts	Sqm	671.00	266.90	179089.90
		Brick work with non-modular (FPS) bricks of class designation 7.5 in foundation and plinth in :				
12	051018	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	291.50	1929.39	562417.19
13	051040	Extra over item 051010 & 051020 for brick work in superstructure beyond plinth level upto floor two level :	cum	253.00	139.25	35230.25
		15 mm cement plaster on the rough side of single or half brick wall of mix -				
14	111022	1:6 (1cement: 6 fine sand)	Sqm	2695.00	63.82	171994.90
15	111180	Neat cement punning	Sqm	445.50	11.76	5239.08
16	115110	Finishing walls with water proofing cement paint of required shade two or more coats on new work applied @ 3.84 Kg/10 sqm	Sqm	2200.00	36.35	79970.00
					<b>Total</b>	<b>1581187.18</b>
<b>Item- 3</b>	<b>Construction of New Booking Office at Katjuridanga</b>					
<b>S No.</b>	<b>Item No</b>	<b>Description of Item</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>
		Earth work in excavation as per approved drawings and dumping at embankment site or spoil heap, within railway land, including 50m lead and 1.5m lift, the lead to be measured from the centre of gravity of excavation to centre of gravity of spoil heap: the lift to be measured from natural ground level and paid for in layers of 1.5m each, including incidental work, as per specifications-in				
1	011011	All kinds of soils	cum	66.00	87.81	5795.46
2	012010	Extra over item 011010 for excavation in foundations for buildings and bridges to cover dressing to neat dimension and plumbing sides etc. Note : Dressing under this item is payable for the total quantity of excavation in foundation and not partly	cum	36.00	9.40	338.40
3	012040	Filling, watering and ramming earth in 15 cm layers in floors and foundations with surplus earth from foundations including 50m lead and 1.5m lift	cum	26.00	20.10	522.60
4	012050	Supplying and filling sand in plinth and under floors including watering, ramming, consolidating and dressing complete	cum	7.00	389.08	2723.56
		Providing and laying in position cement concrete of specified proportion excluding cost of cement, centering and shuttering - All works upto Plinth level :				
5	031012	1:3:6 (1 cement : 3 sand : 6 graded stone aggregate 40mm nominal size)	cum	9.00	1510.24	13592.16

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

		Providing and laying cement concrete, up to plinth in retaining walls, walls (any thickness) including attached plasters, columns, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets etc, excluding the cost of cement and of shuttering, centering.				
6	031023	1:2:4 (1 cement : 2 sand : 4 graded stone aggregate 20mm nominal size)	cum	1.00	1774.56	1774.56
		Providing and laying in position M 20 Grade concrete for reinforced concrete structural elements but excluding cost of centering, shuttering, reinforcement and Admixtures in recommended proportion (as per IS:9103) to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer in charge				
7	041011	All work upto plinth level, including raft foundation of washable aprons, HS tank, pile cap, footings of FOB, and Platform shelter etc.	cum	10.00	2123.57	21235.70
8	041012	All work in buildings above plinth level upto floor two level.	cum	13.00	2363.49	30725.37
		Centering and shuttering including strutting, propping etc. and removal of form for :				
9	042011	Foundations, footings, bases of columns, raft foundation of washable aprons, Pile caps, Footings of FOB etc.	Sqm	12.00	128.80	1545.60
10	042013	Suspended floors, roofs, landings, balconies, FOB slabs, walkway slabs and access platform	Sqm	44.00	205.20	9028.80
11	042014	Lintels, beams, plinth beams, bed blocks, girders, bressumers and cantilevers	Sqm	72.00	180.45	12992.40
12	042015	Columns, pillars, , posts and struts	Sqm	30.00	266.90	8007.00
		Centering and shuttering including strutting, propping etc. and removal of form for special shapes				
13	042029	Weather shade, Chajjas, corbels etc. including edges	Sqm	8.00	323.10	2584.80
		Brick work with non-modular (FPS) bricks of class designation 7.5 in foundation and plinth in :				
14	051018	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	25.00	1929.39	48234.75
15	051040	Extra over item 051010 & 051020 for brick work in superstructure beyond plinth level upto floor two level :	cum	20.00	139.25	2785.00
		Half brick masonry with bricks of class designation 7.5 in foundations and plinth in :				
16	051182	Cement mortar 1:4 (1 Cement : 4 coarse sand)	Sqm	16.00	232.01	3712.16
17	051190	Extra for half Brick masonry in superstructure above plinth level upto floor two level	Sqm	16.00	38.21	611.36
		Providing wood work in frames of doors, windows, clerestory windows and other frames and trusses, wrought, framed and fixed in position :				
18	071012	Sal wood	cudm	39.00	44.44	1733.16
		Providing and fixing flush door shutters to IS: 2202 Part-I non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3ply veneering with vertical grains or cross bands and face veneers on both faces of shutters				
19	072152	30mm thick including ISI marked stainless steel butt hinges with necessary screws	Sqm	2.00	1115.24	2230.48
		Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. all complete				
20	074232	Fixed to opening/ wooden frames with rawl plugs screws etc.	Kg	288.00	69.56	20033.28
		Providing and fixing M.S. sliding door bolts generally conforming to IS: 281, bright satin finish or black stone enamelled with nuts and screws etc. complete of size				
21	075051	300x16 mm	Each	1.00	149.43	149.43



**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

		Providing and fixing M.S. tower bolts generally conforming to IS:204 (Part I) with necessary screws etc. complete of size.				
22	075061	250x10 mm	Each	2.00	69.66	139.32
		Providing and fixing M.S. door handles with necessary screws etc. complete.				
23	075071	125mm	Each	2.00	20.91	41.82
24	078130	Providing and fixing factory made P.V.C. door frame of size 50x47mm with a wall thickness of 5mm, made out of extruded 5mm rigid PVC foam sheet mitered at corners and joined with 2 Nos. of 150mm long brackets of 15x15mm M.S. square tube, the vertical door profiles to be reinforced with 19x19mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100mm size complete as per manufacturers specification and direction of Engineer-in-Charge	Metre	7.50	411.88	3089.10
25	078140	Providing and fixing to existing door frames 30mm thick factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19mm x 19mm for styles and 15x15mm for top & bottom rails. M.S. frame shall have a coat of steel primers. M.S. frame covered with 5mm thick heat moulded PVC Foam sheet 'C channel as per drawing given in IR Standard Specifications complete in all respect	Sqm	3.50	2670.95	9348.33
		Steel work welded in built up sections/ framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required				
26	081412	In gratings, frames, guard bar, ladders, railings, brackets, gates and similar works	Kg	78.00	73.68	5747.04
		Providing and fixing anodised aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular and other sections of approved make conforming to IS:733 and IS:1285, anodised transparent or dyed to required shade according to IS:1868 (Minimum anodic coating of grade AC 15), fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC/neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitered and jointed mechanically wherever required including cleat angle. Aluminium snap beading for glazing/panelling, C.P. brass/stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing and panelling to be paid for separately)				
27	082011	For fixed portion	Kg	139.00	420.48	58446.72
		Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with PVC/ neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item)				
28	082032	With float/frosted glass panes of 5.5mm thickness (weight not less than 13.75 kg/sqm)	Sqm	15.00	914.76	13721.40
		Providing hand packed dry flat brick flooring, class designation 7.5 (FPS Bricks), excluding pointing with joints filled with sand over a bed of dry sand (ordinary)of average thickness 25 mm including ramming sub grade :				
29	091032	Flat brick	Sqm	58.00	152.35	8836.30
		Cement concrete flooring 1:2:4 (1cement: 2coarse sand: 4graded stone aggregate) finished with a floating coat of neat cement including cement slurry, but excluding the cost of nosing of steps etc. complete				
30	092013	50mm thick with 20mm nominal size stone aggregate	Sqm	39.00	128.60	5015.40

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

		Providing and fixing 1st quality ceramic tiles conforming to Group B-III (Ceramic Wall Tiles) of IS:15622 of manufacturers approved by railway in all colours, shades, and design as approved by the Engineer-in-Charge in skirting, risers of steps and dado over 12mm thick bed of cement mortar 1:3 (1cement: 3coarse sand) including pointing in white cement mixed with pigment of matching shade complete				
31	095012	200x300 mm	Sqm	26.00	580.16	15084.16
		Providing and fixing ceramic tiles conforming to IS:15622 of manufacturers approved by railway in all colours, shades, design and abrasion resistance class as approved by the Engineer-in-Charge in floors and landings over 20mm thick bed of cement mortar 1:4 (1cement: 3coarse sand) including pointing in white cement mixed with pigment of matching shade complete				
32	095021	Of Group B-II Clause 5.1 (for abrasion resistance) of IS:15622 (Ceramic Floor Tiles) of size 300x300mm	Sqm	6.00	512.30	3073.80
33	095026	Of Group B-I-a of IS : 15622 (Vitrified tiles) of size above 400x400mm upto 600x600 mm	Sqm	30.00	917.07	27512.10
		Providing and fixing 18mm thick mirror polished, machine cut for kitchen platforms, vanity counters facias, dados and skirtings and similar locations of required size of approved shade, colour and texture laid over 20mm thick base cement mortar 1:4 (1cement: 4coarse sand) with joints treated with white cement, mixed with matching pigment, epoxy touchups, including rubbing, curing. etc. complete at all levels				
34	099034	Granite Black. Area of slab over 0.5 Sqm but upto 1.0 Sqm	Sqm	11.00	2650.11	29151.21
		Providing and fixing on wall face unplasticised - Rigid PVC single socketed rain water pipes conforming to IS: 13592 Type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion.				
35	108162	110mm dia.	Metre	14.00	201.61	2822.54
		Providing and fixing on wall face unplasticised - PVC moulded bend and shoe for unplasticised-Rigid PVC rain water pipes conforming to IS:13592 Type A including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion				
36	108182	Bend 87.5o, 110mm dia bend	Each	3.00	185.57	556.71
37	108184	Shoe (Plain), 110mm dia shoe	Each	3.00	244.84	734.52
		15 mm cement plaster on the rough side of single or half brick wall of mix -				
38	111022	1:6 (1cement: 6 fine sand)	Sqm	269.00	63.82	17167.58
		20 mm cement plaster of mix -				
39	111032	1:6 (1cement: 6fine sand)	Sqm	173.00	74.58	12902.34
		Cement plaster to ceiling of mix -				
40	111151	6 mm thick 1:3 (1cement: 3 fine sand)	Sqm	44.00	49.30	2169.20
41	115050	Distemping two or more coats on new work with 1st quality acrylic washable distemper (ready mixed) of approved manufacturer and of required shade and colour complete as per manufacturer's specification	Sqm	217.00	31.90	6922.30
42	115160	Finishing walls with Acrylic Smooth exterior paint with Silicone additives of required shade on new work (Two or more coats applied @ 1.67ltr/10 sqm over and including one coat of water proofing cement paint applied @ 2.20 kg/10sqm	Sqm	269.00	78.86	21213.34
		Applying Priming Coat :				
43	121011	With ready mixed pink or grey primer of approved brand and manufacture on woodwork (hard and soft wood)	Sqm	5.00	19.54	97.70



**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

44	121013	With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel galvanized iron/steel works	Sqm	17.00	16.07	273.19
		Painting with synthetic enamel paint of approved brand and manufacture to give an even shade				
45	121051	Two or more coats on new work	Sqm	52.00	43.87	2281.24
		Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. Internal work - Exposed on wall				
46	131132	20 mm dia. nominal bore	Metre	15.00	172.90	2593.50
		Providing and fixing medium grade G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the wall etc. Concealed pipe including painting with anti corrosive bitumestic paint, cutting chase and making good the wall				
47	131141	15 mm dia. nominal bore	Metre	15.00	170.00	2550.00
		Providing and fixing medium grade G.I. pipes complete with G.I. fittings including trenching and refilling etc. External Work				
48	131155	40 mm dia. nominal bore	Metre	35.00	283.71	9929.85
49	136150	Providing and placing on terrace/staging (at all heights) polyethylene water storage tank ISI : 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	Litre	1000.00	8.03	8030.00
		Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100mm sand cast iron P or S trap, 10litre low level white P.V.C. flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete including cutting and making good the walls and floors wherever required				
50	151011	White Vitreous China Orissa pattern W.C. pan of size 580x440-mm with integral type foot rests	Each	2.00	2687.46	5374.92
		Providing and fixing wash basin with C.I./ M.S. brackets, 15mm C.P. brass pillar taps, 32mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required				
51	151071	white, vitreous china wash basin size 630x450mm with a pair of 15mm C.P. brass pillar taps	Each	2.00	1736.27	3472.54
52	152110	Providing and fixing 600x450mm bevelled edge mirror , 5.5 mm thick of float glass (of approved quality) complete with 6mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete	Each	2.00	739.84	1479.68
53	153380	Providing and fixing C P brass Soap dish holder having length of 138 mm, 102 mm wide, 75 mm high with concealed fittings arrangements weighing approx. 110 gms	Each	2.00	154.94	309.88
54	153420	Providing and fixing C P brass Towel ring in trapezoidal shape having length of 215 mm, width 200 mm, minimum distance from wall 37 mm with concealed fittings arrangements weighing approx. 90 gms	Each	2.00	186.24	372.48
		Providing and fixing C P brass grating with openable lid :				
55	153472	Grating 125 mm nominal dia. and 15 mm. high domed shape having wt. not less than 40 gms	Each	2.00	123.94	247.88
56	154010	Providing and fixing 110mm dia PVC soil, waste and vent pipes including jointing and cost of spun yarn and sand etc. complete	Metre	20.00	226.92	4538.40
57	155220	Providing and fixing Glass Shelf of approved make or equivalent of size 550 mm x 130 mm x 5.5 mm thick (rounded end) with C.P. brass brackets & guard rails having approx. wt.2.4 kg	Each	2.00	568.71	1137.42
					<b>Total</b>	<b>476739.94</b>

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

Item- 4 Construction of Septic Tank						
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
		Earth work in excavation as per approved drawings and dumping at embankment site or spoil heap, within railway land, including 50m lead and 1.5m lift, the lead to be measured from the centre of gravity of excavation to centre of gravity of spoil heap: the lift to be measured from natural ground level and paid for in layers of 1.5m each, including incidental work, as per specifications-in				
1	011011	All kinds of soils	cum	13.00	87.81	1141.53
		Extra for lead of earth work above initial lead of 50m, in all kind of soils and rocks :				
2	011052	for every 50m or part thereof - lead over 150m and upto 500m	cum	13.00	9.40	122.20
3	012010	Extra over item 011010 for excavation in foundations for buildings and bridges to cover dressing to neat dimension and plumbing sides etc. Note : Dressing under this item is payable for the total quantity of excavation in foundation and not partly	cum	13.00	9.40	122.20
		Providing and laying in position cement concrete of specified proportion excluding cost of cement, centering and shuttering - All works upto Plinth level :				
4	031012	1:3:6 (1 cement : 3 sand : 6 graded stone aggregate 40mm nominal size)	cum	1.38	1510.24	2084.13
		Providing and laying cement concrete, up to plinth in retaining walls, walls (any thickness) including attached plasters, columns, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets etc, excluding the cost of cement and of shuttering, centering.				
5	031023	1:2:4 (1 cement : 2 sand : 4 graded stone aggregate 20mm nominal size)	cum	0.29	1774.56	514.62
		Providing and laying in position M 20 Grade concrete for reinforced concrete structural elements but excluding cost of centering, shuttering, reinforcement and Admixtures in recommended proportion (as per IS:9103) to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer in charge				
6	041012	All work in buildings above plinth level upto floor two level.	cum	0.60	2363.49	1418.09
		Centering and shuttering including strutting, propping etc. and removal of form for :				
7	042013	Suspended floors, roofs, landings, balconies, FOB slabs, walkway slabs and access platform	Sqm	5.00	205.20	1026.00
8	042014	Lintels, beams, plinth beams, bed blocks, girders, bressumers and cantilevers	Sqm	0.25	180.45	45.11
		Providing, hoisting and fixing in position upto floor two level M20 Grade precast RCC work including setting in cement mortar 1:3 (1 cement : 3 coarse sand) and finishing smooth with 6mm thick cement plaster 1:3 (1 cement : 3 fine sand) on exposed surfaces complete including cost of centering, shuttering, finishing, Admixtures in recommended proportion (as per IS:9103) to accelerate, retard setting of concrete, improve workability without impairing strength and durability, excluding cost of cement and steel reinforcement, as per approved plan & direction of Engineer incharge.				
9	043012	In small lintels upto 1.50m clear span	cum	0.05	3150.26	157.51
		Brick work with non-modular (FPS) bricks of class designation 7.5 in foundation and plinth in :				
10	051018	Cement mortar 1:6 (1 cement : 6 coarse sand)	cum	5.20	1929.39	10032.83

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

		Half brick masonry with bricks of class designation 7.5 in foundations and plinth in :				
11	051182	Cement mortar 1:4 (1 Cement : 4 coarse sand)	Sqm	2.00	232.01	464.02
		12 mm cement plaster of mix -				
12	111041	1:4 (1cement: 4coarse sand)	Sqm	9.00	56.52	508.68
		20 mm cement plaster of mix				
13	111061	1:4 (1cement: 4coarse sand)	Sqm	21.00	75.97	1595.37
14	111180	Neat cement punning	Sqm	19.00	11.76	223.44
		Providing, laying and jointing glazed stoneware pipes grade 'A' as per IS:651 including bends etc. with stiff mixture of cement mortar in the proportion of 1:1 (1cement : 1fine sand) including testing of joints etc. complete				
15	141011	100mm diameter	Metre	1.20	150.72	180.86
		Constructing brick masonry manhole in cement mortar 1:4 (1cement: 4coarse sand) R.C.C. top slab with 1:2:4 (1cement: 2coarse sand: 4graded stone aggregate 20mm nominal size), foundation concrete 1:4:8 mix (1cement: 4coarse sand: 8graded stone aggregate 40mm nominal size) inside plastering 12mm thick with cement mortar 1:3 (1cement: 3coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1cement: 2coarse sand: 4graded stone aggregate 20mm nominal size) finished with a floating coat of neat cement complete as per standard design				
16	143011	Inside size 90x80cm and 45cm deep including C.I. cover with frame (light duty) 455x610mm internal dimensions total weight of cover and frame to be not less than 38kg (weight of cover 23kg and weight of frame 15kg). With F.P.S. bricks class designation 7.5	Each	1.00	3940.81	3940.81
17	154010	Providing and fixing 110mm dia PVC soil, waste and vent pipes including jointing and cost of spun yarn and sand etc. complete	Metre	3.00	226.92	680.76
					<b>Total</b>	<b>24258.16</b>
<b>Schedule</b>	Schedule E-Supply of cement under item no. 033063					
<b>Item- 5</b>	supply of cement under item no. 033063					
<b>S No.</b>	<b>Item No</b>	<b>Description of Item</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>
		Supply and using cement at worksite :				
1	033063	PPC	Tonne	365.41	5635.00	2059085.35
					<b>Total</b>	<b>2059085.35</b>
<b>Schedule</b>	Schedule F-supply of steel under item no. 45016					
<b>Item- 6</b>	supply of steel under item no. 45016					
<b>S No.</b>	<b>Item No</b>	<b>Description of Item</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>
		Supplying Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete.				
1	045016	Thermo-Mechanically Treated bars	Kg	15796.00	48.41	764684.36
					<b>Total</b>	<b>764684.36</b>

**4. ELIGIBILITY CONDITIONS**

**Standard Technical Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

1	(a)The tenderer must have successfully completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or One similar work each costing not less than the amount equal to 60% of advertised value of the tender. Note: Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of opening of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate	No	No	Allowed (Mandatory)
1.1	Credentials if submitted in foreign currency shall be converted into Indian currency i.e., Indian Rupee as under: The conversion rate of US Dollars into Rupees shall be the daily representative exchange rates published by the Reserve Bank of India for the relevant date. Where, relevant date shall be as on the last day of month previous to the one in which tender is invited. In case of any other currency, the same shall first be converted to US Dollars as on the last day of month previous to the one in which tender is invited, and the amount so derived in US Dollars shall be converted into Rupees at the aforesaid rate. The conversion rate of such currencies shall be the daily representative exchange rates published by the International Monetary Fund for the relevant date	No	No	Not Allowed
1.1.1	[Explanation for Eligibility Criteria: 1.In case a work is started prior to 07 (seven) years, ending last day of month previous to the one in which tender is invited, but completed in last 07 (seven) years, ending last day of month previous to the one in which tender is invited, the completed work shall be considered for fulfillment of credentials. 2.If a work is physically completed and completion certificate to this extent is issued by the concerned organization but final bill is pending, such work shall be considered for fulfillment of credentials. 3.If a part or a component of work is completed but the overall scope of contract is not completed, this work shall not be considered for fulfillment of technical credentials even if the cost of part completed work/component is more than required for fulfillment of credentials. 4.In case a work is considered similar in nature for fulfillment of technical credentials, the overall cost of that work including PVC amount if any shall be considered and no separate evaluation for each component of that work shall be made to decide eligibility. 5.The value of final bill including PVC amount-if paid, or otherwise in case final bill is pending the contract cost in last approved variation statement plus PVC amount paid or cumulative amount paid up to last on-account bill including PVC amount and statutory deductions whichever is less, shall be considered as the completion cost of work.	No	No	Not Allowed
1.2	1.In case of newly formed partnership firm, the credentials of individual partners from previous propriety firm(s) or dissolved previous partnership firm(s) or split previous partnership firm(s), shall be considered only to the extent of their share in previous entity on the date of dissolution / split and their share in newly formed partnership firm. For example, a partner A had 30% share in previous entity and his share in present partnership firm is 20%. In the present tender under consideration, the credentials of partner A will be considered to the extent of 0.3*0.2*value of the work done in the previous entity. For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deed(s), dissolution deed(s) and proof of surrender of PAN No.(s) in case of dissolution of partnership firm(s) etc. 2.In case of existing partnership firm, if any one or more partners quit the partnership firm, the credentials of remaining partnership firm shall be re-worked out i.e., the quitting partner(s) shall take away his credentials to the extent of his share on the date of quitting the partnership firm(e.g. in a partnership firm of partners A, B & C having share 30%, 30% & 40% respectively and credentials of Rs 10 crore; in case partner C quits the firm, the credentials of this partnership firm shall remain as Rs 6 crore). For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deed(s), dissolution deed(s) and proof of surrender of PAN No.(s) in case of dissolution of partnership firm(s) etc. 3.In case of existing partnership firm if any other partner(s) joins the firm, the credentials of partnership firm shall get enhanced to the extent of credentials of newly added partner(s)on the same principles as mentioned in item 6 above. For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deeds, dissolution/splitting deeds and proof of surrender of PAN No.(s) in case of dissolution of partnership firm etc.	No	No	Not Allowed

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

1.2.1	4.Any partner in a partnership firm cannot use or claim his credentials in any other firm without leaving the partnership firm i.e., In a partnership firm of A&B partners, A or B partner cannot use credentials of partnership firm of A&B partners in any other partnership firm or propriety firm without leaving partnership firm of A&B partners. 5.In case a partner in a partnership firm is replaced due to succession as per succession law, the proportion of credentials of the previous partner will be passed on to the successor. 6.If the percentage share among partners of a partnership firm is changed, but the partners remain the same, the credentials of the firm before such modification in the share will continue to be considered for the firm as it is without any change in their value. Further, in case a partner of partnership firm retires without taking away any credentials from the firm, the credentials of partnership firm shall remain the same as it is without any change in their value. 7.In a partnership firm "AB" of A&B partners, in case A also works as propriety firm "P" or partner in some other partnership firm "AX", credentials of A in propriety firm "P" or in other partnership firm "AX" earned after the date of becoming a partner of the firm AB shall not be added in partnership firm AB. 8.In case a tenderer is LLP, the credentials of tenderer shall be worked out on above lines similar to a partnership firm. 9.In case company A is merged with company B, then company B would get the credentials of company A also.]	No	No	Not Allowed
1.3	Defination of Similar Work :- Execution of any Civil Engineering Works.	No	No	Not Allowed

**Submission of Document Verification Certificate**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please submit a certificate in the prescribed format (please download the format from the link given below) for verification / confirmation of the documents submitted for compliance of eligibility / qualifying criteria. Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. ( <a href="#">Click here</a> to download the Format of Self Certificatio)	No	No	Allowed (Mandatory)

**Standard Financial Criteria**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have received contractual payments in the previous three financial years and the current financial year upto the date of inviting of tender,at least 150% of the advertised value of the tender. The tenderers shall submit Certificates to this effect which may be an attested Certificate from the concerned department / client or Audited Balance Sheet duly certified by the Chartered Accountant/Certificate from Chartered Accountant duly supported by Audited Balance Sheet. Note: Client certificate from other than Govt Organization should be duly supported by Form 16A/26AS generated through TRACES of Income Tax Department of India	No	No	Allowed (Mandatory)

**5. COMPLIANCE**

**Commercial-Compliance**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)
2	The tenderer has to opt for taking payment through letter of credit (LC) as per Railway Board's letter no. 2018/CE-I/CT/9 dated 4.6.18.	Yes	Yes	Not Allowed
3	Tenderers are required to upload copy of Permanent Account Number, GST registration.	Yes	Yes	Allowed (Mandatory)
4	Tenderes are required to upload ESI & EPF regsitration certificate	Yes	Yes	Allowed (Optional)
5	Tenderers are required to furnish a valid and functional email ID and mobile no. to which communication can be done by the Railway Administration	Yes	Yes	Allowed (Optional)

**General Instructions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

1	Drawings for the Work: The Drawing for the work can be seen in the office of the DRM(Engg)/S.E. Railway/Adra Railway at any time during the office hours. The drawings are only for the guidance of Tenderer(s). Detailed working drawings (if required) based generally on the drawing mentioned above, will be given by the Engineer or his representative from time to time	No	No	Not Allowed
2	1.Rights of the Railway to deal with Tender: The authority for the acceptance of the tender will rest with the Railway. It shall not be obligatory on the said authority to accept the lowest tender or any other tender, and tenderer(s) shall neither demand any explanation for the cause of rejection of his/ their tender nor the Railway to assign reasons for declining to consider or reject any particular tender or tenders. 2.If the tenderer(s) deliberately gives / give wrong information in his / their tender or creates / create circumstances for the acceptance of his / their tender, the Railway reserves the right to reject such tender at any stage. 3.If the tenderer(s) expire(s) after the submission of his / their tender or after the acceptance of his / their offer, the Railway shall deem such tender cancelled. If a partner of a firm expires after the submission of their tender or after the acceptance of their tender, the Railway shall deem such tender as cancelled, unless the firm retains its character.	No	No	Not Allowed
3	Should a tenderer find the discrepancies in, or omissions from the drawings or any of the tender forms or should be in doubt as to their meaning, he should at once notify the authority inviting tenders who may issue a corrigendum. It shall be understood that every endeavor has been made to avoid any error which can materially affect the basis of the tender and the successful tenders shall take upon himself and provide for the risk of any error which may subsequently be discovered and shall make no subsequent claim on account thereof.	No	No	Not Allowed
4	Before submitting a tender, the tenderer will be deemed to have satisfied himself by actual inspection of the site and locality of the works, that all conditions liable to be encountered during the execution of the works are taken into account and that the rates he entered in the tender form are adequate and all inclusive to accord with the provisions in clause-37 of the General Conditions of Contract for the completion of work to the entire satisfaction of the engineer.	No	No	Not Allowed
5	The Railway reserves the right of not to invite tenders for any of the railway work or works or to invite open or limited tenders and when tenders are called, to accept a tender in whole or in part or reject any tender or all tenders without assigning reasons for such action.	No	No	Not Allowed
6	For settlements of disputes, Arbitration and Conciliation Act 1996 and provision made in relevant clauses of GCC 2020 with up-to-date correction slip will be binding.	No	No	Not Allowed
7	All these conditions and specifications should carefully be studied by the tenderer / tenderers before submitting his/their tender. He/they should in his/their own interest be well acquainted with the site of work.	No	No	Not Allowed
8	26A.Deployment of Qualified Engineers at Work Sites by the Contractor: 26A.1The Contractor shall also employ qualified Graduate Engineer(s) or equivalent, or qualified Diploma Engineer(s),as prescribed in the tender documents. 26A.2 In case the Contractor fails to employ the Engineer, as aforesaid in Para 26A.1, he shall be liable to pay liquidated damages at the rates, as prescribed in the tender documents. 26A.3 No. of qualified Engineers required to be deployed by the Contractor for various activities contained in the works contract shall be specified in the tender documents as 'Special Condition of Contract'. a.Cost of work Rs.200 Lakhs and above- One Graduate Engineer. b.Cost of work more than Rs.25 Lakhs but less than Rs.200 Lakhs- One Diploma Holder Engineer. Note:- Track related contractual works of values as specified in para-b, individuals having Diploma in Railway Engineerig awarded by IPWE- India shall also be considered as qualified Diploma Holder Engineers and contractors for track contract works can employ such individuals at their worksite on Indian Railway vide Rly. Bds letter No. 2012-CE-I-CT-O-20, Dt- 12.07.2013. In case the contractor fails to employ the Qualified Engineer, as aforesaid in para above, he or him in terms of provisions of clause 26A.2 to the General Conditions of Contract, shall be liable to pay an amount of Rs.40,000 and Rs.25,000 for each month or part thereof for the default period for the provisions as mentioned in para-a and b above respectively.	No	No	Not Allowed



**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

9	<p>Security Deposit: The Earnest Money deposited by the Contractor with his tender will be retained by the Railways as part of security for the due and faithful fulfillment of the contract by the Contractor. The Security Deposit shall be 5% of the contract value. Security Deposit may be deposited by the Contractor before release of first on account bill in cash or Term Deposit Receipt issued from Scheduled Bank, or may be recovered at the rate of 6% of the bill amount till the full Security Deposit is recovered. Provided also that in case of defaulting Contractor, the Railway may retain any amount due for payment to the Contractor on the pending "on account bills" so that the amounts so retained (including amount guaranteed through Performance Guarantee) may not exceed 10% of the total value of the contract. Further, in case of contracts having value equal to or more than 50 crore (Rs Fifty crore) the Security Deposit may be deposited as Bank Guarantee Bond also, issued by a scheduled bank after execution of contract documents, but before payment of 1st on account bill. Provided further that the validity of Bank Guarantee Bond shall be extended from time to time, depending upon extension of contract granted in terms of Clause 17 of the Standard General Conditions of Contract. Further, in case Security Deposit has been submitted as Term Deposit Receipt/Bank Guarantee Bond in full amount, the Earnest Money deposited by the Contractor with his tender will be returned by the Railways. Note: After the work is physically completed as certified by competent authority, Security Deposit recovered from the running bills of a Contractor can be returned to him, if he so desires, in lieu of Term Deposit Receipt/irrevocable Bank Guarantee for equivalent amount from Scheduled Bank, to be submitted by him.</p>	No	No	Not Allowed
9.1	<p>(i) Refund of Security Deposit: Security Deposit mentioned in sub clause (1) above shall be returned to the Contractor along with or after, the following: (a) Final Payment of the Contract as per clause 51.(1) and (b) Execution of Final Supplementary Agreement or Certification by Engineer that Railway has No Claim on Contractor and (c) Maintenance Certificate issued, on expiry of the maintenance period as per clause 50.(1), in case applicable. (ii) Forfeiture of Security Deposit: Whenever the contract is rescinded as a whole under clause 62 (1) of GCC, the Security Deposit already with railways under the contract shall be forfeited. However, in case the contract is rescinded in part or parts under clause 62 (1) of GCC, the Security Deposit shall not be forfeited. (iii) No interest shall be payable upon the Earnest Money and Security Deposit or amounts payable to the Contractor under the Contract, but Government Securities deposited in terms of Sub-Clause 16.(4)(b) of this clause will be payable with interest accrued thereon.</p>	No	No	Not Allowed

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

10	<p>Performance Guarantee The procedure for obtaining Performance Guarantee is outlined below: (a) The successful bidder shall have to submit a Performance Guarantee (PG) within 21 (Twenty one) days from the date of issue of Letter of Acceptance (LOA). Extension of time for submission of PG beyond 21 (Twenty one) days and upto 60 days from the date of issue of LOA may be given by the Authority who is competent to sign the contract agreement. However, a penal interest of 12% per annum shall be charged for the delay beyond 21(Twenty one) days, i.e. from 22ndday after the date of issue of LOA. Further, if the 60th day happens to be a declared holiday in the concerned office of the Railway, submission of PG can be accepted on the next working day. In all other cases, if the Contractor fails to submit the requisite PG even after 60 days from the date of issue of LOA, the contract is liable to be terminated. In case contract is terminated railway shall be entitled to forfeit Earnest Money Deposit and other dues payable against that contract. In case a tenderer has not submitted Earnest Money Deposit on the strength of their registration as a Startup recognized by Department of Industrial Policy and Promotion (DIPP) under Ministry of Commerce and Industry, DIPP shall be informed to this effect. The failed Contractor shall be debarred from participating in re-tender for that work. (b)The successful bidder shall submit the Performance Guarantee (PG) in any of the following forms, amounting to 3% of the contract value(As per railway board letter no. 2020/CE-1/CT/3E/GCC/Policy dated 20/11/2020). (i)A deposit of Cash; (ii) Irrevocable Bank Guarantee; (iii)Government Securities including State Loan Bonds at 5% below the market value; (iv) Deposit Receipts, Pay Orders, Demand Drafts and Guarantee Bonds. These forms of Performance Guarantee could be either of the State Bank of India or of any of the Nationalized Banks; (v)Guarantee Bonds executed or Deposits Receipts tendered by all Scheduled Banks; (vi)Deposit in the Post Office Saving Bank; (vii)Deposit in the National Savings Certificates; (viii)Twelve years National Defence Certificates; (ix)Ten years Defence Deposits; (x)National Defence Bonds and (xi)Unit Trust Certificates at 5% below market value or at the face value whichever is less. Also, FDR in favour of FA&amp;CAO (free from any encumbrance) may be accepted.</p>	No	No	Not Allowed
10.1	<p>(c)The Performance Guarantee shall be submitted by the successful bidder after the Letter of Acceptance (LOA) has been issued, but before signing of the contract agreement. This P.G. shall be initially valid upto the stipulated date of completion plus 60 days beyond that. In case, the time for completion of work gets extended, the Contractor shall get the validity of P.G. extended to cover such extended time for completion of work plus 60 days. (d)The value of PG to be submitted by the Contractor will not change for variation upto 25% (either increase or decrease).In case during the course of execution, value of the contract increases by more than 25% of the original contract value, an additional Performance Guarantee amounting to 5% (five percent) for the excess value over the original contract value shall be deposited by the Contractor. On the other hand, if the value of contract decreases by more than 25% of the original contract value, Performance Guarantee amounting to 5% (five percent) of the decrease in the contract value shall be returned to the Contractor. The PG amount in excess of required PG for decreased contract value, available with Railways, shall be returned to Contractor as per his request duly safeguarding the interest of railways (e)The Performance Guarantee (PG) shall be released after physical completion of the work based on 'Completion Certificate' issued by the competent authority stating that the Contractor has completed the work in all respects satisfactorily. (f)Whenever the contract is rescinded, the Performance Guarantee already submitted for the contract shall be encashed in addition to forfeiture of Security Deposit available with railway. (g)The Engineer shall not make a claim under the Performance Guarantee except for amounts to which the President of India is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of: (i)Failure by the Contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer may claim the full amount of the Performance Guarantee. (ii)Failure by the Contractor to pay President of India any amount due, either as agreed by the Contractor or determined under any of the Clauses/Conditions of the Agreement, within 30 days of the service of notice to this effect by Engineer. (iii)The Contract being determined or rescinded under clause 62 of the GCC</p>	No	No	Not Allowed

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

11	<p>1. Powers of Modification to Contract: The Engineer on behalf of the Railway shall be entitled by order in writing to enlarge or extend, diminish or reduce the works or make any alterations in their design, character position, site, quantities, dimensions or in the method of their execution or in the combination and use of materials for the execution thereof or to order any additional work to be done or any works not to be done and the Contractor will not be entitled, to any compensation for any increase/reduction in the quantities of work but will be paid only for the actual amount of work done and for approved materials supplied against a specific order (2)(i) Unless otherwise specified in the special conditions of the contract, the accepted variation in quantity of each individual item of the contract would be upto 25% of the quantity originally contracted, except in case of foundation work. (ii) The Contractor shall be bound to carry out the work at the agreed rates and shall not be entitled to any claim or any compensation whatsoever upto the limit of 25% variation in quantity of individual item of works. (iii) In case an increase in quantity of an individual item by more than 25% of the agreement quantity is considered unavoidable, then same shall be executed at following rates (a)Quantities operated in excess of 125% but upto 140% of the agreement quantity of the concerned item, shall be paid at 98% of the rate awarded for that item in that particular tender; (b)Quantities operated in excess of 140% but upto 150% of the agreement quantity of the concerned item shall be paid at 96% of the rate awarded for that item in that particular tender; (c)Variation in quantities of individual items beyond 150% will be avoided and would be permitted only in exceptional unavoidable circumstances and shall be paid at 96% of the rate awarded for that item in that particular tender. (d)Variation to quantities of Minor Value Item: The limit for varying quantities for minor value items shall be 100% (as against 25% prescribed for other items). A minor value item for this purpose is defined as an item whose original agreement value is less than 1 % of the total original agreement value. d.(i) Quantities operated upto and including 100% of the agreement quantity of the concerned minor value item, shall be paid at the rate awarded for that item in that particular tender; d.(ii)Quantities operated in excess of 100% but upto 200% of the agreement quantity of the concerned minor value item, shall be paid at 98% of the rate awarded for that item in that particular tender; d.(iii) Variation in quantities of individual minor value item beyond 200% will be avoided and would be permitted only in exceptional unavoidable circumstances and shall be paid at 96% of the rate awarded for that item in that particular tender.</p>	No	No	Not Allowed
11.1	<p>(iv) In case of earthwork, the variation limit of 25% shall apply to the gross quantity of earthwork and variation in the quantities of individual classifications of soil shall not be subject to this limit. (v) In case of foundation work, no variation limit shall apply and the work shall be carried out by the Contractor on agreed rates irrespective of any variation. (vi) As far as SOR items are concerned, the limit of 25% would apply to the value of SOR schedule as a whole and not on individual SOR items. However, in case of NS items, the limit of 25% would apply on the individual items irrespective of the manner of quoting the rate (single percentage rate or individual item rate).</p>	No	No	Not Allowed
12	<p>General Conditions of Contract 2020 shall be applicable for all the tenders and contracts of railways for execution of works as defined in GFR 2017.</p>	No	No	Not Allowed

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

13	Order of Precedence of Documents: In a tender/contract, in case of any difference, contradiction, discrepancy, with regard to conditions of tender/contract, specifications, drawings, bill of quantities etc., forming part of the tender/contract, the following shall be the order of precedence: i.Letter of Award ii.Schedule of Items, Rates & Quantities iii.Special Conditions of Contract iv.Technical Specifications as given in tender documents v.Drawings vi.Indian Railways Standard General Conditions of Contract updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents. vii.CPWD Specifications 2019 Vol I & II updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract. viii.Indian Railways Unified Standard Specification (IRUSS-2019) updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract. ix.Indian Railways Unified Standard Specifications (Works and Material) 2010 updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, if applicable in the contract. x.IR Specifications/Guidelines updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents. xi. Relevant B.I.S. Codes updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents.	No	No	Not Allowed
14	Date of inviting tender shall be the date of publishing tender notice on IREPS website if tender is published on website or the date of publication in newspaper in case tender is not published on website.	No	No	Not Allowed
15	Right of Railway to Deal with Tenders: The Railway reserves the right of not to invite tenders for any of Railway work or works or to invite open or limited tenders and when tenders are called to accept a tender in whole or in part or reject any tender or all tenders without assigning reasons for any such action	No	No	Not Allowed
16	Omissions & Discrepancies: Should a tenderer find discrepancies in or omissions from the drawings or any of the Tender Forms or should he be in doubt as to their meaning, he should at once notify the authority inviting tenders. The tender inviting authority may, if deemed necessary, clarify the same to all tenderers. It shall be understood that every endeavour has been made to avoid any error which can materially affect the basis of tender and successful tenderer shall take upon himself and provide for the risk of any error which may subsequently be discovered and shall make no subsequent claim on account thereof.	No	No	Not Allowed
17	Provisions of Contract Labour (Regulation and Abolition) Act, 1970, Provisions of Employees Provident Fund and Miscellaneous Provisions Act, 1952, Provisions of "The Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 1996" and "The Building and Other Construction Workers' Welfare Cess Act, 1996", shall be binding to the tenderer	No	No	Not Allowed
18	Restrictions on the Employment of Retired Engineers of Railway Services Within One Year of their Retirement: The Contractor shall not, if he is a retired Government Engineer of Gazetted rank, himself engage in or employ or associate a retired Government Engineer of Gazetted rank, who has not completed one year from the date of retirement, in connection with this contract in any manner whatsoever without obtaining prior permission of the President and if the Contractor is found to have contravened this provision it will constitute a breach of contract and administration will be entitled to terminate the contract and forfeit his Performance Guarantee as well as Security Deposit	No	No	Not Allowed

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

19	<p>Care in Submission of Tenders: (a) (i)Before submitting a tender, the tenderer will be deemed to have satisfied himself by actual inspection of the site and locality of the works, that all conditions liable to be encountered during the execution of the works are taken into account and that the rates he enters in the tender forms are adequate and all inclusive to accord with the provisions in Clause-37 of the Standard General Conditions of Contract for the completion of works to the entire satisfaction of the Engineer. (a)(ii)Tenderers will examine the various provisions of The Central Goods and Services Tax Act, 2017(CGST)/ Integrated Goods and Services Tax Act, 2017(IGST)/ Union Territory Goods and Services Tax Act, 2017(UTGST)/ respective state's State Goods and Services Tax Act (SGST) also, as notified by Central/State Govt.&amp; as amended from time to time and applicable taxes before bidding. Tenderers will ensure that full benefit of Input Tax Credit (ITC) likely to be availed by them is duly considered while quoting rates. (a)(iii)The successful tenderer who is liable to be registered under CGST/IGST/UTGST/SGST Act shall submit GSTIN along with other details required under CGST/IGST/UTGST/SGST Act to railway immediately after the award of contract, without which no payment shall be released to the Contractor. The Contractor shall be responsible for deposition of applicable GST to the concerned authority. (a)(iv)Inc case the successful tenderer is not liable to be registered under CGST/IGST/UTGST/SGST Act, the railway shall deduct the applicable GST from his/their bills under reverse charge mechanism (RCM) and deposit the same to the concerned authority. (b)When work is tendered for by a firm or company, the tender shall be signed by the individual legally authorized to enter into commitments on their behalf. (c)The Railway will not be bound by any power of attorney granted by the tenderer or by changes in the composition of the firm made subsequent to the execution of the contract. It may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.</p>	No	No	Not Allowed
20	<p>Execution of Contract Document: The Tenderer whose tender is accepted shall be required to appear in person at the office of Divisional Railway Manager (Engg), S.E. Railway, Adra, or if tenderer is a firm or corporation, a duly authorized representative shall appear and execute the contract agreement within seven days of notice from Railways that the Contract Agreement is ready. The Contract Agreement shall be entered into by Railway only after submission of valid Performance Guarantee by the Contractor. Failure to do so shall constitute a breach of the agreement affected by the acceptance of the tender. In such cases the Railway may determine that such tenderer has abandoned the contract and there upon his tender and acceptance thereof shall be treated as cancelled and the Railway shall be entitled to forfeit the full amount of the Earnest Money and other dues payable to the Contractor under this contract. The failed Contractor shall be debarred from participating in the re tender for that work.</p>	No	No	Not Allowed
21	<p>10. In case the Letter of Acceptance (LOA) is issued to a partnership firm, the following undertakings shall be furnished by all the partners through a notarized affidavit, before signing of contract agreement. (a)Joint and several liabilities: The partners of the firm to which the Letter of Acceptance (LOA) is issued, shall be jointly and severally liable to the Railway for execution of the contract in accordance with General and Special Conditions of the Contract. The partners shall also be liable jointly and severally for the loss, damages caused to the Railway during the course of execution of the contract or due to non-execution of the contract or part thereof. (b)Duration of the partnership deed and partnership firm agreement: The partnership deed/partnership firm agreement shall normally not be modified/alterd/ terminated during the currency of contract and the maintenance period after the work is completed as contemplated in the conditions of the contract. Any change carried out by partners in the constitution of the firm without permission of Railway, shall constitute a breach of the contract, liable for determination of the contract under Clause 62 of the General Conditions of Contract. (c)Governing laws: The partnership firm agreement shall in all respect be governed by and interpreted in accordance with the Indian laws. (d)No partner of the firm shall have the right to assign or transfer the interest right or liability in the contract without the written consent of the other partner/s and that of the Railway.</p>	No	No	Not Allowed

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

22	5. A partner of the firm shall not be permitted to participate either in his individual capacity or as a partner of any other firm in the same tender. 6. The tender form shall be submitted only in the name of partnership firm. The EMD shall be deposited by partnership firm through e-payment gateway or as mentioned in tender document. The EMD submitted in the name of any individual partner or in the name of authorized partner (s) shall not be considered. 7. On issue of Letter of Acceptance (LOA) to the partnership firm, all the guarantees like Performance Guarantee, Guarantee for various Advances to the Contractor shall be submitted only in the name of the partnership firm and no splitting of guarantees among the partners shall be acceptable. 8. On issue of Letter of Acceptance (LOA), contract agreement with partnership firm shall be executed in the name of the firm only and not in the name of any individual partner.	No	No	Not Allowed
23	Participation of Partnership Firms in works tenders: 1The Partnership Firms participating in the tender should be legally valid under the provisions of the Indian Partnership Act. 2The partnership firm should have been in existence or should have been formed prior to submission of tender. Partnership firm should have either been registered with the Registrar or the partnership deed should have been notarized prior to date of tender opening as per the Indian Partnership Act. 3Separate identity / name should be given to the partnership firm. The partnership firm should have PAN / TAN number in its own name and PAN / TAN number in the name of any of the constituent partners shall not be considered. The valid constituents of the firm shall be called partners. 4Once the tender has been submitted, the constitution of the firm shall not normally be allowed to be modified / altered / terminated during the validity of the tender as well as the currency of the contract except when modification becomes inevitable due to succession laws etc., in which case prior permission should be taken from Railway and in any case the minimum eligibility criteria should not get vitiated. The re-constitution of firm in such cases should be followed by a notary certified Supplementary Deed. The approval for change of constitution of the firm, in any case, shall be at the sole discretion of the Railways and the tenderer shall have no claims what-so-ever. Any change in the constitution of Partnership firm after opening of tender shall be with the consent of all partners and with the signatures of all partners as that in the Partnership Deed. Failure to observe this requirement shall render the offer invalid and full EMD shall be forfeited. If any Partner/s withdraws from the firm after opening of the tender and before the award of the contract, the offer shall be rejected and EMD of the tenderer will be forfeited. If any new partner joins the firm after opening of tender but prior to award of contract, his / her credentials shall not qualify for consideration towards eligibility criteria either individually or in proportion to his share in the previous firm. In case the tenderer fails to inform Railway beforehand about any such changes / modification in the constitution which is inevitable due to succession laws etc. and the contract is awarded to such firm, then it will be considered a breach of the contract conditions liable for determination of the contract under Clause 62 of General Conditions of Contract.	No	No	Not Allowed
24	If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender. (iv) After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society / HUF etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted	No	No	Not Allowed

**Special Conditions**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------



**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

1	IS-456-2000 Indian standard code of practice for plain and reinforced concrete,IS: 1199 Method of sampling and analysis of concrete,IS: 516 Method of test for strength of concrete,Standard Specification for structural steel/standard quality-Fifth revision,IS: 226 Specification for structural steel/Standard quality-Fifth revision,IS 2062-1984 Specifications for Weldable structural steel,IS: 383-1970 Code of practice for fine and coarse aggregate,IS: 800 Code of practice for use of structural steel in general building construction-revised 8th print April 1977 incorporating amendments No.1 and 2,IS:432-Pt. I-Code of practice for mild steel and medium tensile steel bars,IS:1785-Plain and hard drawn steel wire for pre stressed concrete/latest addition,IS:1786 Code of practice for high strength deformed steel bars and wires for concrete reinforcement,IS:269 for ordinary Portland cement,IS:8112/IS:12269 High strength OPC 43 and 53 grade respectively	No	No	Not Allowed
2	Reinforcement: Reinforcement Steel to be used in the work shall be of high yield strength deformed bars cold twisted or hot rolled or re-bars produced from SAIL , TISCO , IISCO , RINL only. Reinforcement steel should confirm to IS: 1786 Testing of reinforcement steel shall be done for physical properties batch wise	No	No	Not Allowed
3	The items covered under USSOR-2010 and the items covered under section-Z of SOR-2001 are tentative and approximate and these are considered for evaluation of DV only. However the items covered under USSOR -2010 and under section-Z of SOR -2001 may be altered within the scope of work as per instruction of Engineer- in Charge according to site requirement if required. Decision of Engineer in Charge in this regard will be final and binding to all.	No	No	Not Allowed
4	(1) Detailed specifications for design mix concrete and equipment required will be as per "Specifications for RCC/PSC for the Construction/Rehabilitation of concrete bridges & structures on Indian Railway" (2) Contractor shall have to arrange precision measuring equipments like, leveling instrument, staff, measuring tape etc. during execution of work. (3)Electricity if required at work site, shall have to be arranged by contractor at his own cost. (4) Contractor may have to raise OH water tank to ensure regular supply to automatic water measuring system on concrete mixer. (5)Mixer capacity should be at least 1 bag and not more than 40% volume should be filled. Pan mixers are preferable. (6)Rates include the charges of mix design of controlled concrete and cube test, quantity of cement concrete consumed in cube preparation and it may be noted that mix design shall be got approved in IIT/KGP, Jadavpur University, NIT/Durgapur, NTH/Alipore/Kolkata, NIT/Jamshedpur as per I.S. Code 10262- 1982. (7) Preparation of completion report and completion drawings. A Detailed report, alongwith sketches, about the work done shall have to submit by contractor in two copies duly incorporating photographs of the work done at various stages. Completion drawing prepared in auto CAD are also to be submitted in 6 BP copies alongwith the original tracing and in CD/Pen drive. 8. Contractor shall depute sufficient manpower and machinery at the location of LHS so that work is executed concurrently at the site and gets completed in the schedule time	No	No	Not Allowed
5	Time limit for completion of scheme will not exceed six months.	No	No	Not Allowed
6	Sign Boards carrying the inscription "MPLADS Work" with the name of MP should be permanently and prominently created at the site. The maintenance of the scheme is the responsibility of the owner of the scheme.	No	No	Not Allowed
7	For greater public awareness, all works executed under MPLADS, a plaque carrying the inscription "Member of Parliament_ Local Area Development Scheme work' Name of the M.P, indicating the cost involved, date of commencement, date of completion and inauguration date should be permanently erected.	No	No	Not Allowed
8	The quoted rate should include all the prevailing taxes and levies including GST.	No	No	Not Allowed

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

9	Termination of Contract-effect of non performance by the Contractor within the validity- In normal circumstances, the Contractor has to seek extension of time of completion of Contract and Railway may extend considering the merit and relevant clause of GCC 2020. However, in the event the contractor has not sought for extension and the Railway has not taken necessary action for terminating the same within the validity period (Such a situation should be rare and the reasons for this to be recorded), a notice claiming damages also for the failure on the part of the Contractor should be issued to the Contractor who has not sought/is willing to seek extension even after the expiry of the date of completion, and the Contract has ceased to exist with effect from the date of expiry, original or extended as the case may be.	No	No	Not Allowed
10	Unless specifically mentioned in the schedule of rates all materials required for execution of work will be supplied by the contractor free of cost as per standard specifications and approved by the Engineer-in-charge.	No	No	Not Allowed
11	All works are to be done as per programme fixed by the Engineer-in-charge or his authorised representative and as per their direction only.	No	No	Not Allowed
12	All materials to be supplied by the contractor should be got approved by the Engineer-in-charge before use in the work.	No	No	Not Allowed
13	All the scrap and released materials to be returned to the Railway as per instructions given by the Engineer in - charge or his authorized representative at their nominated places after completion of the work.	No	No	Not Allowed
14	No compensation towards any accident whatsoever will be paid by the Railway.	No	No	Not Allowed
15	The Railway will not be responsible for compensation towards contractors idle labour in case traffic block cannot be arranged to the contractor as per programme due to unforeseen reasons.	No	No	Not Allowed
16	Contractor shall not start any work without the presence of the IOW or PWI at site. In case the contractors representative starts any work in absence of IOW or PWI, it shall be treated as unauthorised and illegal tampering with the track and shall be liable for action.	No	No	Not Allowed
17	In case contractor fails to return the unused and excess materials issued to them and released materials, the cost of such materials will be deducted from the contractors dues at the rate of 2xPurchase cost 5 percent freight.Purchase cost for released materials should be taken as prevailing market rate.	No	No	Not Allowed
18	All the works which are to be done under traffic block, in electrified territory, contractor will have to take all precautions for safety of track and running trains as well as safety of his labour in terms of Indian Railways P.Way manual.	No	No	Not Allowed
19	The Contractor with the help of his Engineer or Diploma holder , as the case be , shall make necessary Drawings, sketches, plotting, peg markings etc. as desired by the Engineer-in-charge. No extra cost shall be claimed on this account.	No	No	Not Allowed
20	In case damage is caused to OFC/Quad cable/signalling cable during execution of the work, the contractor is liable to pay a penalty for damaging the cable. Penalty shall not be levied in case of the following: (i) Detailed cable route plan not provided by concerned department or cable is not protected as per laid down procedures. (ii) The alignment of the cable does not tally with the information provided to the contractor (iii) The cable depth is found to be less than 800 mm from normal ground level. (iv) No representative of S&T department/Rail Tel was available at site guarding the cables on the fixed pre determined date and time. Penalty to be imposed for damages to cable shall be as under: (a) Only Quad cable or Signalling cable ----- Rs. 1.0 Lakh per location (b) Only OFC ----- Rs. 1.25 Lakh per location (c) Both OFC & Quad ----- Rs. 1.5 Lakh per location (d) Electrical Cable ----- Rs. 1.0 Lakh per location (Copy of JPO is also attached in Documents Tab which is binding and should be followed in spirit)	No	No	Not Allowed
21	The work will be executed under supervision of Railway Engineer- in charge or his authorized representative at site.	No	No	Not Allowed
22	The agency should depute a trained and certified supervisor duly certified by AEN.	No	No	Not Allowed
23	The Contractor should be make available all the necessary tools, plants and equipment for execution of the above work at site during execution of work.	No	No	Not Allowed

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

24	The vehicles and equipment of contractors can be drafted by Railway Administration in case of Accidents or Natural calamities involving human lives, and payment in respect of that would be made by operating the item as a non scheduled item.	No	No	Not Allowed
25	Cement: Only OPC and PPC shall be used for design mix concrete. Cement 53/43 Grade shall be confirmed to IS-12269, IS: 8112 and PSC as per IS 455 respectively. Cement testing shall be done batch wise for physical properties. Cement should be supplied from reputed manufacturer i.e. ACC, Grasim, Ultratech, Ambuja, Lafarge, JAYPEE, Konark cement conforming to relevant IS code as per directed by site Engineer.	No	No	Not Allowed
26	1. General conditions of contract 2020, CPWD Specifications 2019 Vol I & II, Indian Railways Unified Standard Specification (IRUSS-2019), updated with correction slips and Indian Railway Unified Standard Specifications Works Materials, Indian Railways Unified Standard Specifications (Works and Material) 2010, IR Specifications/Guidelines, Relevant B.I.S. Codes updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, shall be binding to the instant tender as per the order of precedence defined in Para 1.01, Part-I of GCC 2020. 2. The work should be executed in the workmen like manner to the satisfaction of the Engineer-in-charge. The contractor will be primarily responsible for the safety of traffic that moved on the opened up track not without the presence of the Railway supervisory staff at site. In the event of any accident at the work spot, a departmental enquiry will be held by the Railway. If it is established that accident occurred wholly or partially due to any act tantamount into negligence on the part of the contractor he shall be render him liable for all damages and also legal prosecution if loss of life is involved. 3. The responsibility of safe running of track at work site rests entirely with all departmental supervisory staff. No contractor should be permitted to carry out any activity affecting the safety of track without presence of an Engg. supervisory staff of appropriate level. No work should be executed by the contractor without authorization being available. 4. The agency should depute a trained and certified supervisor duly certified by AEN.	No	No	Not Allowed
27	The presence of contractors operators or supervisor at each work site, P.Way or Civil Or Bridge, is must for proper supervision of work. It is advisable to depute Railways retired P.Way superisory staff or works supervisory staff or bridge supervisory staff as the case may be for this purpose, who are already trained in such works. However, if the contractor intends to engage any supervisor from outside for P.way work he must get trained in the Divisional Training school of the Division, for which the contractor has to pay the charges as per the rate decided by railway board time to time. After successfull completion of the training, a certificate of competency shall be issued by the Divisional Training school at the mimimum level of AEN. Only such outside operators or supervisors of contractor who have been trained in the Division Training school and possess a competency certificate, shall be permitted to supervise the work at the work site. Retired supervisors of Railway need not required to be trained. Similarly for any Civil or Bridge work which has the potential to cause unsafe condition for moving traffic, if any outside supervisor is engaged by the contractor, he shall be got trained in similar manner for such Civil or Bridge work in the Divisional Training School and obtain a competency certificate before he is permtted to supervise the work at work site.	No	No	Not Allowed
28	For works of public nature contractor shall fix an information board containing information related to work order at prominent place free of cost. The content of such board, its fixing location, size and type of material etc. shall be as approved by Engineer- in Charge. The board shall be maintained by contractor during the currency of work order. If contractor fail to fix the information board for nominated work orders, a token penalty as deemed suitable as per GCC may be imposed by Enginner in charge.	No	No	Not Allowed
29	Unless otherwise specified in the schedule of items, the rate quoted by the tenderer includes:- a. All labour, tools, plant, equipment and machinery etc. b. All lead, lift, ascent, descent, jungle clearance and making approach roads etc. c. Loading, unloading, handling, re-handling and transportation of Railway materials from Railway depot to site of work and vice-a-versa. d. All royalty, octroi and other necessary taxes on materials and products.	No	No	Not Allowed
30	Tenderer or contractor will have to execute the work taking necessary precautions for safety of works, Passenger, traffic etc.	No	No	Not Allowed

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** E-DRM-Engg-ADRA-52-21

**Closing Date/Time:** 22/10/2021 15:00

31	Codes: The following Codes of Practice latest revised with up to date corrections shall be followed:	No	No	Not Allowed
31.1	Wherever any reference to Code, Specifications etc., is made in this tender document, it shall be taken as a reference to the latest version thereof including all amendments and corrections etc. However, where these specifications do not cover full details relevant Indian Standard Specification shall be followed. Decision of the Chief Engineer shall be final in this regard.	No	No	Not Allowed
32	The quantities specified in the tender schedule are only approximate and liable to vary.	No	No	Not Allowed
33	The items covered under USSOR-2010 and the items covered under section-Z of SOR-2001 are tentative and approximate and these are considered for evaluation of DV only. However the items covered under USSOR -2010 and under section-Z of SOR -2001 may be altered within the scope of work as per instruction of Engineer- in Charge according to site requirement if required. Decision of Engineer in Charge in this regard will be final and binding to all.	No	No	Not Allowed

**Technical-Compliances**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer should submit a copy of certificate stating that they are not liable to be disqualified and all their statements/documents submitted along with bid are true and factual. Standard format of the certificate to be submitted by the bidder is enclosed as Annexure-V of GCC 2020. Non submission of a copy of certificate by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self attested by which they/he are/is qualifying the Qualifying Criteria mentioned in the Tender Document	No	No	Allowed (Mandatory)

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

2	<p>Employment/Partnership etc. of Retired Railway Employees: (a) Should a tenderer i) be a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, whether in the executive or administrative capacity or whether holding a pensionable post or not, in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, OR ii) being partnership firm / joint venture (JV) / registered society / registered trust etc have as one of its partners a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, ORiii) being an incorporated company have any such retired Engineer of the gazetted rank or any other gazetted officer working before his retirement as one of its directors AND in case where such Engineer or officer had not retired from government service at least 1 year prior to the date of submission of the tender THEN the tenderer will give full information as to the date of retirement of such Engineer or gazetted officer from the said service and as to whether permission for taking such contract, or if the Contractor be a partnership firm or an incorporated company, to become a partner or director as the case may be, has been obtained by the tenderer or the Engineer or officer, as the case may be from the President of India or any officer, duly authorized by him in this behalf, shall be clearly stated in writing at the time of submitting the tender. b)In case, upon successful award of contract, should a tenderer depute for execution of the works under or to deal matters related with this contract, any retired Engineer of gazette rank or retired gazetted officerworking before his retirement in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, and now in his employment, then the tenderer will ensure that retired Engineer or retired gazetted officer had retired from government service at least 1 year prior to the date of his employment with tenderer and in case he had retired from service within a year then he possesses the requisite permission from the President of India or any officer, duly authorized by him in this behalf, to get associated with the tenderer. c) Should a tenderer or Contractor being an individual, have member(s) of his family or in the case of partnership firm/ company / joint venture (JV) / registered society / registered trust etc. one or more of his partner(s)/shareholder(s) or member(s) of the family ofpartner(s)/shareholder(s)having share of more than 1%in the tendering entityemployed in gazetted capacity in the Engineering or any other department of the railway, then the tenderer at the time of submission of tender, will inform the authority inviting tenders the details of such persons. Note:-If information as required as per 16.a), b), c) above has not been furnished, contract is liable to be dealt in accordance with provision of clause 62 of Standard General Condition of contract.</p>	No	No	Allowed (Mandatory)
2.1	<p>Bid Security Declaration: I/We, M/s (Name of bidder) am/are aware that I/We have been exempted from submission of Bid Security/Earnest Money Deposit in lieu of this Bid Security Declaration. I/We understand and accept that if I/We withdraw my/our bid within bid validity period or if awarded the tender and on being called upon to submit the Performance Guarantee/Performance Security fail to submit the same within the stipulated time period mentioned in tender documents or on being called upon to sign the contract agreement fail to sign the same within stipulated period mentioned in tender documents, I/We i.c., the bidder shall be banned from submission of bids in any Works / Service Tender issued by Indian Railways for a period of 12 months from the date of such banning done on e-platform IREPS</p>	No	No	Allowed (Mandatory)
3	<p>The list of personnel / organization on hand and proposed to be engaged for the tendered work.</p>	No	No	Allowed (Optional)
4	<p>Plant &amp; Machinery available on hand and proposed to be inducted and hired for the tendered work.</p>	No	No	Allowed (Optional)

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

5	The tenderer whether sole proprietor/ a company or a partnership firm / joint venture (JV) / registered society / registered trust / HUF etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person specifically authorizing him/them to submit the tender, sign the agreement, receive money, co-ordinate measurements through contractor's authorized engineer, witness measurements, sign measurement books, compromise, settle, relinquish any claim(s) preferred by the firm and sign "No Claim Certificate" and refer all or any disputes to arbitration. The above power of attorney shall be submitted even if such specific person is authorized for above purposes through partnership deed / Memorandum of Understanding / Article of Association or such other document, failing which tender is liable to be rejected.	No	No	Allowed (Optional)
6	Sole Proprietorship Firm: (i) An undertaking that he is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which he was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. All other documents in terms of explanatory notes in clause 10 above.	No	No	Allowed (Optional)
7	The tenderer shall clearly specify that the tender is submitted on behalf of a partnership firm. The following documents shall be submitted by the partnership firm, with the tender: (i) A notarized copy of partnership deed. (ii) A notarized or registered copy of Power of Attorney in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm. (iii) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of opening of bids, either in their individual capacity or in any firm in which they were / are partners. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract.	No	No	Allowed (Optional)
8	HUF: (i) A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii) An undertaking that the HUF is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which HUF was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (iii) All other documents in terms of explanatory notes in clause 10 above	No	No	Allowed (Optional)
9	Company registered under Companies Act 2013: (i) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii) A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company. (iv) An undertaking that the Company is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which the Company was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract. (iii) All other documents in terms of explanatory notes in clause 10 above	No	No	Allowed (Optional)



**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

Tender No: E-DRM-Engg-ADRA-52-21

Closing Date/Time: 22/10/2021 15:00

10	LLP (Limited Liability Partnership): If the tender is submitted on behalf of a LLP registered under LLP Act-2008, the tenderer shall submit along with the tender: (i) A copy of LLP Agreement (ii) A copy of Certificate of Incorporation (iii) A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv) An undertaking that the LLP is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of JV in which the LLP was / is a member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract.(v)All other documents in terms of explanatory notes in clause 10 above	No	No	Allowed (Optional)
11	Registered Society & Registered Trust: The tenderer shall submit: (i) A copy of the Certificate of Registration (ii) A copy of Deed of Formation (iii) A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust.(iv)All other documents in terms of explanatory notes in clause 10 above	No	No	Allowed (Optional)
12	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / HUF etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be.	No	No	Allowed (Optional)
13	In case one or more members is/are HUF, the following documents shall be enclosed: (i)A copy of notarized affidavit on Stamp Paper declaring that he who is signing the affidavit on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF.	No	No	Allowed (Optional)
14	ALTHOUGH, UNDERTAKING/DECLARATION REGARDING BLACK LISTED OR DEBARRED BY RAILWAY OR OTHER MINISTRY DEPARTMENT OF GOVT OF INDIA FROM PARTICIPATION IN TENDER ON THE DATE OF OPENING OF THE TENDER EITHER IN INDIVIDUAL CAPASITY OR AS A MEMBER OF THE PARTNERSHIP FIRM OR JV ETC IS KEPT OPTIONAL IN RESPECTIVE COLUMN BUT THE SAME IS REQUIRED TO SUBMIT BEFORE EXECUTION OF AGREEMENT CONSEALMENT/WRONG INFORMATION IN THE REGARD ABOVE SHALL MAKE THE CONTRACT LIABLE FOR DETERMINATION UNDER 62 CLAUSE OF GCC 2020	No	No	Not Allowed
15	(i) If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender. (ii) After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society / HUF etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted.	No	No	Not Allowed

**Undertakings**

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed
2	I/We have read the various conditions to tender attached hereto and agree to abide by the said conditions. I/We also agree to keep this tender open for acceptance for a period of 45 days (60 days for two packet system) from the date fixed for opening the same and in default thereof, I/We will be liable for forfeiture of my/our any dues/I/We offer to do the work for S.E Railway, at the rates quoted in the attached schedule and hereby bind myself/ourselves to complete the work in all respects within Stipulated period mentioned in NIT Header from the date of issue of letter of acceptance of the tender	No	No	Not Allowed

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** E-DRM-Engg-ADRA-52-21

**Closing Date/Time:** 22/10/2021 15:00

3	I/We will not resale from my/our offer or modify the terms and conditions thereof in a manner not acceptable to the SE Railway during a period of 45 days (60 days for two packet system) from the date of opening of the tender, subject to the period being extended further if required, by mutual agreement from time to time.	No	No	Not Allowed
4	Full value of the Earnest Money shall stand forfeited without prejudice to any other right or remedies in case my/our Tender is accepted and if: (a)I/We do not submit the Performance Guarantee within the time specified in the Tender document; (b)I/We do not execute the contract documents within seven days after receipt of notice issued by the Railway that such documents are ready; and (c)I/We do not commence the work within fifteen days after receipt of orders to that effect.	No	No	Not Allowed
5	I/We also hereby agree to abide by General conditions of contract 2020, CPWD Specifications 2019 Vol I & II, Indian Railways Unified Standard Specification (IRUSS-2019), updated with correction slips and Indian Railway Unified Standard Specifications Works Materials, Indian Railways Unified Standard Specifications (Works and Material) 2010, IR Specifications/Guidelines, Relevant B.I.S. Codes updated with correction slips issued up to date of inviting tender or as otherwise specified in the tender documents, as per the order of precedence defined in Para 1.01, Part-I of GCC 2020.	No	No	Not Allowed
6	Until a formal agreement is prepared and executed, acceptance of this tender shall constitute a binding contract between us subject to modifications, as may be mutually agreed to between us and indicated in the letter of acceptance of my/our offer for this work.	No	No	Not Allowed
7	I/We agree to keep this tender open for acceptance for a period of 45 days (60 days for two packet system) from the date fixed for opening the same, subject to the period being extended further if required, by mutual agreement from time to time.	No	No	Not Allowed
8	Provisions of Make in India Policy 2017 issued by Govt. of India, as amended from time to time, shall be followed for consideration of tenders	No	No	Not Allowed
9	Provisions of Contract Labour (Regulation and Abolition) Act, 1970, Provisions of Employees Provident Fund and Miscellaneous Provisions Act, 1952, Provisions of "The Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 1996" and "The Building and Other Construction Workers' Welfare Cess Act, 1996", shall be binding to the tenderer	No	No	Not Allowed

**6. Documents attached with tender**

S.No.	Document Name	Document Description
1	2020_12_30RBCE_CE-I-CTIRsBidSecurity_EarnestMoneyDeposit.pdf	BID SECURITY DECLARATION
2	GCC16July2020PDF.pdf	GCC 2020
3	2018_CE-I_CT_9Date04_06_2018.pdf	Letter of Credit condition
4	SpecialConditions_Contract_17102018.pdf	Updation Labour data shramikkalyan
5	JPOcabledamage.pdf	JPO Cable damage
6	Revisedperformanceguarantee.pdf	Revised PG

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**Signed By:** MANISH KUMAR

**ADRA DIVISION-ENGG/SOUTH EASTERN RLY  
TENDER DOCUMENT**

**Tender No:** E-DRM-Engg-ADRA-52-21

**Closing Date/Time:** 22/10/2021 15:00

---

**Designation :** DENCentral